


# Fire Extinguishers

## PRINCIPLES OF SELECTING EXTINGUISHERS:



TYPICAL STORED-PRESSURE FIRE EXTINGUISHER

- Type of potential fire hazard.
- Severity of potential fire hazard.
- Environmental conditions of potential fire hazard.
- Effectiveness of extinguisher on potential fire hazard.
- Training and physical capabilities of available personnel to operate extinguisher.
- Upkeep and maintenance requirements of extinguisher.

For further information, refer to NFPA 10.

FIRE CLASSIFICATIONS				
TYPE OF FIRE	Wood, paper, cloth, trash & other ordinary combustibles	Flammable liquids	Energized electric equipment	Cooking appliances w/ combustible cooking media
CLASS AND LETTER SYMBOL	<b>A</b>	<b>B</b>	<b>C</b>	<b>K</b>
PICTURE SYMBOL				
AGENTS				
<b>MULTI-PURPOSE DRY CHEMICAL</b>	Yes	Yes	Yes	No
<b>KITCHEN</b>	Yes	No	No	Yes
<b>WATER</b>	Yes	No	No	No
<b>FFFP</b>	Yes	Yes	No	No
<b>BC DRY CHEMICAL</b>	No	Yes	Yes	No
<b>CARBON DIOXIDE</b>	No	Yes	Yes	No
<b>HALOTRON 1</b>	Yes	Yes	Yes	No

## ABC Dry Chemical FIRE EXTINGUISHERS



The ABC Multi-Purpose Dry Chemical fire extinguisher is used to provide protection against Class A, B and C fires.

- FINISH** Glossy red polyester coated
- MOUNTING** Wall bracket
- DISCHARGE** Nozzle or hose
- AGENT BASE** Ammonium Phosphate
- PRESSURE** 195 P.S.I.

MODEL	NOMINAL CAPACITY	UL RATING	HEIGHT	CYLINDER DIAMETER	RANGE OF STREAM	TYPE DISCHARGE
EX-3002	2-1/2 Lbs.	1A:10B:C	14-3/4"	3"	9' - 15'	Nozzle
EX-3005	5 Lbs.	2A:10B:C	15-1/4"	4-1/4"	12' - 18'	Hose
EX-3005-3	5 Lbs.	3A:40B:C	15-1/4"	4-1/4"	12' - 18'	Hose
EX-3006	6 Lbs.	3A:40B:C	16"	5"	15' - 21'	Hose
EX-3010	10 Lbs.	4A:80B:C	20"	5"	15' - 21'	Hose
EX-3020	20 Lbs.	20A:120B:C	23-1/4"	7"	15' - 21'	Hose

### MOUNTING BRACKET

MODEL	FITS SIZE
EX-3901	5 Lbs.
EX-3902	6 Lbs.
EX-3903	10 Lbs.
EX-3904	20 Lbs.
EX-3909	5, 6, 10 Lbs.
EX-3910	20 Lbs.

## Kitchen Class K FIRE EXTINGUISHERS



The Kitchen Class K portable fire extinguishers discharge a fine mist and help prevent grease splash and re-flash while cooling appliances. These wet chemical extinguishers are the best restaurant kitchen appliance portable fire extinguishers available and provide protection against Class K fires.

- FINISH** Stainless Steel
- MOUNTING** Wall bracket
- DISCHARGE** Hose
- AGENT** Potassium Acetate Solution

MODEL	NOMINAL CAPACITY	UL RATING	HEIGHT	CYLINDER DIAMETER	RANGE OF STREAM	TYPE DISCHARGE
EX-3260	6 ltr.	2A:K	19"	7"	10' - 12'	Hose
EX-3262	2-1/2 gal.	2A:K	24-1/2"	7"	10' - 12'	Hose

### MOUNTING BRACKET

MODEL	FITS SIZE
EX-3904	2-1/2 gal.

\*OPTION:  
-AF Anti-freeze charge

Call for information on water mist "Clean Agent" and pressurized water/foam extinguishers.