

GA10P	

QTY	MODEL	WIDTH	LENGTH	FINISH	LOCATION

GRATE LENGTH (TRAFFIC DIRECTION) Χ Χ **GRATE WIDTH**



В



SECTION X-X

В

- STANDARD MAXIMUM SECTION SIZE OF GRATE LENGTH/WIDTH NOT TO EXCEED 4'-0"
 VERIFY TRAFFIC DIRECTION AND THAT SECTIONING DOES NOT OCCUR IN A TRAFFIC LANE
 ALL RAIL COMPONENTS ARE MADE OF 6061-T6 ALUMINUM ALLOY, ALL FRAME COMPONENTS ARE MADE OF 6061-T6 ALUMINUM ALLOY.
- TREAD RAILS MUST RUN PERPENDICULAR TO TRAFFIC DIRECTION
- GRATE DIMENSION ALLOWS FOR CLEARANCE BETWEEN GRATE SECTIONS AND FRAMES, 1/8" ±1/16" ALL AROUND
 ADDITIONAL INFORMATION CAN BE FOUND IN THE PRODUCT SPECIFICATION AND IS CONSIDERED PART OF THIS TRANSMITTAL.
 FRAME PART NUMBER: FA10LBC

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NYSTROM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NYSTROM IS PROHIBITED.

	F	PROJEC	CT:					
	ARCHITECT:							
CONTRACTOR:								
A					DESCRIF	TION:		
9300 73rd Avenue North Minneapolis, MN 55428				m	Alumagril™, 1" Aluminum Grate with Level Bed, Cast-In, Aluminum Frame			
		NAME	DATE	SIZE	DWG. NO.			
	DRAWN	DKL	4/13/15	Α		GA10P-FLBC		
	RELEASED	PE	4/13/15	SCA	ALE: NTS	SHEET 1 OF 1	REV A	

2