


Stair Treads & Nosings

June 2014



NYSTROM[®]

Right to site.

10

Complementary Building Products

Nystrom is a global supplier of miscellaneous and specialty construction products.

We partner with our customers to simplify specifying and procurement, minimizing cost and time in the construction project workflow. Our representatives take responsibility for guiding you through the process from beginning to end.

Nystrom is committed to delivering you the right products at the right time. *Right to site.*

Stair Treads & Nosings

05 55 00



Roof Hatches

07 72 33



Smoke Vents

07 72 36



Expansion Joint Systems

07 95 13



Access Doors

08 31 00



Floor Doors

08 31 00



Louvers

08 91 00



Wall & Door Protection

10 26 00



Fire Safety

10 44 13




Entrance Flooring Systems

12 48 13



Illuminate stairs for safety.



Nystrom's photoluminescent treads are the ideal solution to illuminate stairs for safe egress. Perfect for indoor or outdoor use; these stair treads provide a durable, slip-resistant tread, are easy to clean, and can be installed in new or existing stairs. Built to last the life of the building, the abrasive grit is dyed throughout eliminating the need to apply a new top coat.

Photoluminescent treads meet OSHA Barrier-Free Code requirements and ADA recommendations, are UV protected, non-flammable, non-radioactive and non-toxic protecting your building and the people in it.

- ✓ Slip resistant.
- ✓ Indoor or outdoor.
- ✓ New/existing stairs.

NYSTROM[®]

Right to site.

Nystrom offers a complete line of metal stair treads and nosings to last the life of your building. Our stair treads and nosings are ADA and OSHA compliant, have anti-slip safety treads, are suitable for inside and outside environments and can be customized to your needs. Nystrom takes pride in delivering building product solutions... *Right to site.*

Ribbed Bar Abrasive Treads & Nosings pg 5

- Short Nosing: Concrete Pour Stairs
- Short Tipped Nosing: Steel Pan/Concrete Pour Stairs
- Long Nosing: Steel Pan/Concrete Pour Stairs
- Long Angled Nosing: Steel Pan/Sloped Stairs



Full Abrasive Treads & Nosings pg 6

- Short Nosing: Concrete Poured Stairs
- Short Tipped Nosing: Steel Pan/Wood Stairs
- Long Nosing: Steel Pan/Wood Stairs



Inset Treads & Nosings pg 7

- Ribbed Bar Abrasive: Steel Pan Stairs
- Full Abrasive: Steel Pan Stairs




Two Part Treads & Nosings pg 8

- Ribbed Bar Abrasive: Steel Pan Stairs
- Full Abrasive: Steel Pan Stairs




Renovation Treads & Nosings pg 9

- Ribbed Bar Abrasive: Steel Pan Stairs



Cast Treads & Nosings pg 10

- Cast Aluminum
- Cast Iron



Options

- Vision line
- Mitered cuts
- Painted undersides
- Taped tops
- Repair Kits
- Color options

pg 10-11

Learn about the many options we offer for you to customize your stairs and walkways.

Ribbed Bar Abrasive Stair Tread

Economical and easy to install, Nystrom's single part ribbed bar abrasive stair treads are perfect for indoor and outdoor applications where extra safety is desired or required by code.

CHANNEL: Extruded Aluminum
 APPLICATION: Concrete Poured, Steel Pan, Terrazzo or Wood
 TREAD: Ribbed Bar Abrasive
 WIDTH: 1-7/8", 3" or 4"
 MOUNTING: Anchor or Drilled Holes
 NOSING: Short, Short-Tipped, Long or Angled
 OPTIONS: Vision Line, Mitered Cuts, Painted Undersides or Taped Tops



Features




Anti-slip safety treads

Reduce slip hazards with ADA and OSHA compliant abrasive stair treads. Abrasive treads provide a high coefficient of friction.




Continuous color

No need to worry about walking off the color as the abrasive material filler is dyed throughout.



Optional vision line

Customize your tread with rows of different colors. Easily mark a safe egress with UL listed photoluminescent or yellow fill.



SERIES	TREAD	NOSING	WIDTH	INSTALL
ST	S	B	-	
S SINGLE PART	B BAR ABRASIVE	C CONCRETE POUR - SHORT NOSE P STEEL PAN - SHORT TIPPED NOSE L STEEL PAN - LONG NOSE A STEEL PAN SLOPED - ANGLE NOSE	1.875 1-7/8" 3 3" 4 4"	E EXTRUDED ANCHORS D DRILLED HOLES

Full Abrasive Stair Treads & Nosings



A full abrasive stair tread is made from an extruded aluminum base with aluminum oxide silicon carbide abrasive material locked into the extruded channels. The material is consistent throughout the tread covering the nose. Ideal for indoor and outdoor applications, the full abrasive tread is easy to install and an economical option.

- CHANNEL: Extruded Aluminum
- APPLICATION: Poured Concrete, Steel Pan, Terrazzo or Wood
- TREAD: Full Abrasive
- WIDTH: 2", 2-1/8", 3", 3-1/8", 4" or 4-1/8"
- MOUNTING: Anchor or Drilled Holes
- NOSING: Short, Short-Tipped or Long
- OPTIONS: Mitered Cuts, Painted Undersides or Taped Tops



Features



Anti-slip safety treads

Reduce slip hazards with ADA and OSHA compliant abrasive stair treads. Abrasive treads provide a high coefficient of friction.



Continuous color

No need to worry about walking off the color as the abrasive material filler is dyed throughout.



Barrier Free

The solid, rounded edge abrasive nosings conform to OSHA's barrier free code for stairs.

SERIES	TREAD	NOSING	WIDTH	INSTALL
ST	S	F		
S SINGLE PART	F FULL ABRASIVE	C CONCRETE POUR - SHORT NOSE P STEEL PAN - SHORT TIPPED NOSE L STEEL PAN - LONG NOSE	2 2" 2.125 2-1/8" 3 3" 3.125 3-1/8" 4 4" 4.125 4-1/8"	E EXTRUDED ANCHORS D DRILLED HOLES


Inset Stair Treads & Nosings

Nystrom's Inset Treads and Nosings are an ideal solution for walks, rampways, landings and stair treads where you need a strip of anti-slip safety treads. The inset treads are available in bar or full abrasive.

CHANNEL: Extruded Aluminum
 APPLICATION: Poured Concrete, Steel Pan, Terrazzo or Wood
 TREAD: Ribbed Bar Abrasive or Full Abrasive
 WIDTH: 1-3/8", 2-1/4" or 3"
 MOUNTING: Anchor or Drilled Holes
 NOSING: None
 OPTIONS: Vision Line, Mitered Cuts, Painted Undersides or Taped Tops



Features



Ramps & Walkways

Inset treads and nosings are the ideal solution for providing an anti-slip surface. Install on ramps, walkways, platforms and stairs on most surfaces.




Anti-slip safety treads

Reduce slip hazards with ADA and OSHA compliant abrasive stair treads. Abrasive treads provide a high coefficient of friction.




Continuous color

No need to worry about walking off the color as the abrasive material filler is dyed throughout.



SERIES	TREAD	NOSING	WIDTH	INSTALL
ST S		N		
S SINGLE PART	B BAR ABRASIVE F FULL ABRASIVE	N RAMPS, WALKWAYS - No NOSE	1.375 1-3/8" 2.25 2-1/4" 3 3"	E EXTRUDED ANCHORS D DRILLED HOLES

Two Part Stair Treads & Nosings



Save the life of your stairs during construction...

Nystrom's Two Part Stair Treads and Nosings are designed to save your stair treads during the construction phase. The sub-channel and plywood inserts are installed during the construction phase. When the building is near completion, the temporary plywood tread is replaced with the final install of the abrasive anti-slip safety material.

- CHANNEL: Extruded Aluminum
- APPLICATION: Poured Concrete, Steel Pan or Terrazzo
- TREAD: Ribbed Bar Abrasive or Full Abrasive
- WIDTH: 3-3/8"
- MOUNTING: Anchor or Drilled Holes
- NOSING: Short-Tipped
- OPTIONS: Vision Line, Mitered Cuts, Painted Undersides or Taped Tops

Features



Easy tread replacement

Easily replace worn or damaged treads by unscrewing the existing tread, slide the new one in and fasten to rail.



Continuous color

No need to worry about walking off the color as the abrasive material filler is dyed throughout.

ST SERIES
T TREAD - NOSING WIDTH INSTALL

SERIES T TWO PART	TREAD B BAR ABRASIVE F FULL ABRASIVE	NOSING P STEEL PAN - SHORT TIPPED NOSE	WIDTH 3.375 3-3/8"	INSTALL E EXTRUDED ANCHORS D DRILLED HOLES
-----------------------------	---	--	------------------------------	---

Renovation Stair Treads & Nosings

Give your tired stairs a facelift...

Manufactured with the same material as our bar and full abrasive stair treads, Nystrom's renovation treads are designed for restoration of all stair types. The renovation stair treads are a quick and economical alternative to new construction and provide a safe, non-slip surface.

- CHANNEL: Extruded Aluminum
- APPLICATION: Poured Concrete, Sloped, Steel Pan, Terrazzo or Wood
- TREAD: Ribbed Bar Abrasive
- WIDTH: 5", 9" or 11"
- MOUNTING: Drilled Holes
- NOSING: Rounded, Long or Angled-Long
- OPTIONS: Vision Line, Mitered Cuts, Painted Undersides or Taped Tops



BEFORE

AFTER



Features



Largest tread surface

Designed to cover more of your stair, these tread surfaces cover up to 11" providing ultimate anti-slip safety and protection.



Continuous color

No need to worry about walking off the color as the abrasive material filler is dyed throughout.

SERIES	TREAD	NOSING	WIDTH	INSTALL
ST R	B	-		
R RENOVATION	B BAR ABRASIVE	L STEEL PAN - LONG NOSE A STEEL PAN SLOPED - ANGLE NOSE V STEEL PAN SLOPED - ROUNDED NOSE	5 5" 9 9" 11 11"	D DRILLED HOLES

Cast Stair Treads & Nosings



Nystrom's cast aluminum stair treads are made from type 319 aluminum with a perfect sand cast finish. Ideal for heavy traffic areas such as schools, public buildings and subways, these stair treads will last the life of your building. Our cast iron treads are a gray cast iron designed for indoor and outdoor use.

- MATERIAL: Aluminum or Iron
- APPLICATION: Poured Concrete or Steel Pan
- WIDTH: 2", 3" or 4"
- MOUNTING: Anchor or Drilled Holes
- NOSING: Short, Short-Tipped or Long
- OPTIONS: Mitered Cuts, Painted Undersides or Taped Tops



Features



Highly durable


These treads will take a beating and keep performing; designed to be impact resistant with anti-slip grit and barrier free.

SERIES	TREAD	NOSING	WIDTH	INSTALL
ST	C	-		
SERIES C CAST	TREAD A ALUMINUM I IRON	NOSING C CONCRETE POUR - SHORT NOSE P STEEL PAN - SHORT TIPPED NOSE L STEEL PAN - LONG NOSE	WIDTH 2 2" 3 3" 4 4"	INSTALL W WING NUT C CAST-IN BOLT


Nosing Options




None




Short



Short Tip



Rounded



Long



Angled Long

Abrasive Color Options



Black*




Gray




Brown



Burgandy



Green



Blue



Red



Buff



Yellow




Photoluminescent

UL listed luminous egress-path marking system SA33914

Custom abrasive colors available, call 800.547.2635 for more information.

Colors shown give only an indication of shade. Samples are available upon request.

Material Options



Mill Finish Aluminum




319 Cast Aluminum



Cast Iron


Mounting Options




Cast-in Bolt



Drilled Holes



Extruded Anchor



Wing Nut

Additional Options



Custom Cuts

Mitered cuts, notches, handrails and other custom cuts available.



Repair Kits

Used only for aesthetic repairs or small holes. Includes abrasive material and epoxy resin.



Painted Undersides

Prevents a reaction between the stair treads and concrete where they come into contact with each other.



Taped Tops

Provide protection of exposed surfaces during installation to prevent overspill from pouring concrete.



10

**Complimentary
Building
Products.
Right to site.**

- 05 55 00* Stair Treads & Nosings
- 07 72 33* Roof Hatches
- 07 72 36* Smoke Vents
- 07 95 13* Expansion Joint Systems
- 08 31 00* Access Doors
- 08 31 00* Floor Doors
- 08 91 00* Louvers
- 10 26 00* Wall & Door Protection
- 10 44 13* Fire Safety
- 12 48 13* Entrance Flooring Systems

Nystrom.com
800.547.2635

9300 73rd Avenue North
Minneapolis, MN 55428



Right to site.