



Direct Service Done Right



10 2600
Wall + Door Protection
Catalog

**DIV
5**

**STAIR TREADS
+ NOSINGS**
05 5000



FALL PROTECTION
05 5213 / 07 7200



For over 70 years Nystrom has been the go to manufacturer for specialty building products.


Today we provide a wide range of floor, roof and safety related access products that help create safer, more accessible buildings.

**DIV
7**


ROOF HATCHES
07 7200



SMOKE VENTS
07 7200



**PREFORMED JOINT SEALS +
EXPANSION JOINT SYSTEMS**
07 9100 + 07 9513



**DIV
8**

**ACCESS DOORS
+ PANELS**
08 3100



**FLOOR DOORS
+ HATCHES**
08 3483




**LUMINOUS EGRESS
PRODUCTS**
10 1443



**DIV
10**

**DIV
10**

**WALL + DOOR
PROTECTION**
10 2600



**FIRE PROTECTION CABINET
+ FIRE EXTINGUISHERS**
10 4413 + 10 4416



**ENTRANCE MATS + FRAMES
ENTRANCE FLOOR GRILLES**
12 4813 + 12 4816



**DIV
12**



DIVISION 10 2600

Wall + Door Protection

CORNER GUARDS

5-7

Stainless Steel Corner Guard	5
Vinyl Surface Mount Corner Guard	6
Vinyl Recess Mount Corner Guard	6
Extruded Vinyl Corner Guard	7
Lexan® Corner Guard	7
Vinyl Door Frame Guard	7

Options

14-15

Vinyl Colors	14-15
Stainless Steel Patterns	15

CHAIR + CRASH RAILS

8-9

Stainless Steel Crash Rail	8
Aluminum + Stainless Steel Crash Rail	8
Vinyl Crash Rail	9

BUMPER GUARDS

10

Vinyl Bumper Guard	10
Vinyl Rub Rail Bumper Guard	10

HANDRAILS

11-12

1-1/2" Round Handrail	11
Vinyl Standard Handrail	11
Accent Strip Handrail	12

WALL COVERINGS


13

Stainless Steel	13
Vinyl	13

Direct Service Done Right

Nystrom offers a broad line of specialty building products to better serve construction professionals and architects.

We have customer focused professionals and hassle-free processes that directly serve and simplify the building process.



PEOPLE

architects, engineers, designers, estimators, construction professionals, and service specialists

PROCESS

estimating & bid design support, tech support, logistics support, installation support, cad, revit/bim

PRODUCTS

standard & custom designs, warehousing, quality assurance, exceptional warranties, leed certification, labeling & tagging

TIME


EFFICIENCY

SERVICE



SPECIFICATION SUPPORT

By giving architects, designers and contractors open access to our expert team, we simplify the process of specifying and procuring access products from design through delivery and installation.



Stainless Steel

CORNER GUARD

Stainless steel corner guards offer a tough yet beautiful look to your building. A highly configurable product guarantees your needs will be met. Available in type #430 or #304 stainless steel with a variety of patterns which are sure to enrich the quality and look of your building.

FEATURES

STANDARD CORNER GUARD Protect any length of wall with an easy application.

EMBOSSED PATTERNS Designed with a modern and attractive appearance.

EASY INSTALLATION Surface and recess mount applications.

DETAILS

MATERIAL Type 304 or 430 Stainless Steel

FINISH #4 Satin or Embossed Pattern (see page 15)

MOUNTING Surface Mounted or Recessed

MOUNTING METHOD Mechanical or Adhesive

SIZE 1 inch, 2 inches, 3 inches or custom


LENGTH Continuous length up to 10 feet maximum

CORNER ANGLE 90°, 135° or Custom


MATERIALS



Stainless Steel



Corner Guard



End Wall

ORDER GUIDE

MODEL	MATERIAL	MOUNTING	WING SIZE	CORNER	MOUNTING	OPTIONS
CG						-
	S Stainless Steel, Type 304	S Surface	1 1"	S Square	A Adhesive	D100 100°
		R Recess	2 2"		D Drilled Holes & Hardware	D135 135°
	T Stainless Steel, Type 430		3 3"			CSH Countersunk Holes & Hardware
						G18 18 Gauge

For other materials, contact factory.

Vinyl

CORNER GUARDS

Nystrom's Vinyl Corner Guards are an attractive and durable solution to unsightly, damaged corners. Backed by a limited five-year warranty, Nystrom's Corner Guards are available in 70 colors, is Class A fire-rated and meet national building code standards.

FEATURES

NEW OR EXISTING CONSTRUCTION Easily installed on new or existing walls.

PVC FREE OPTION Available with 2 inch or 3 inch standard corner guard.

FIRE-RATED Available with Class A, 1 or 2-Hour fire-rating.



DETAILS

MATERIAL Vinyl

FINISH Textured

MOUNTING Surface Mounted or Recessed

MOUNTING METHOD Mechanical, Adhesive or Tape

SIZE 2 inch to 3 inches

LENGTH Up to 20 Linear Feet

RETAINER Continuous Aluminum


CORNER ANGLE 90° or 135°¹

CORNER Square or Bull Nose¹


CORNER RADIUS 1/8 inch or 3/4 inch

FIRE-RATING Class A, 1 or 2-Hour (option)


VINYL SURFACE MOUNT CORNER GUARDS



Standard - 90°




Bullnose




135°


VINYL RECESS MOUNT CORNER GUARDS



Standard - 90°



End Wall




135°

ORDER GUIDE

MODEL	MATERIAL	MOUNTING	WING SIZE	CORNER	OPTIONS	ACCESSORIES
CG					-	- P
	V Vinyl	S Surface R Recess F Recess, 1 or 2-Hour Fire-Rated	2 2" 3 3"	S Square B Bull Nose	D135 135°	EC End Cap

¹Bull Nose and 135° options available in 3 inch wing size only.



Extruded Vinyl

CORNER GUARDS

Nystrom's Extruded Vinyl Corner Guards are a durable solution to unsightly, damaged corners. This Corner Guard is Class A fire-rated and meets national building code standards.

ORDER GUIDE

MODEL	WING SIZE	CORNER	OPTIONS
CGVE			-
	75 3/4"	S Square	D135 135°
	15 1-1/2"		T Tape
	3 3"		
	4 4"		

DETAILS

MATERIAL Extruded Vinyl

FINISH Textured

MOUNTING Surface Mounted

MOUNTING METHOD Adhesive or Tape


SIZE 3/4 inch to 4 inches

LENGTH 4, 8, 10 or 12 Linear Feet

CORNER ANGLE 90° or 135°†

FIRE-RATING Class A

†135° option available in 1-1/2 inch wing size only.



Lexan®

CORNER GUARDS

Nystrom's Lexan clear polycarbonate corner guards allow the color of your wall to show through. Our Lexan series is easily installed with simple self-tapping screws and available in a variety of sizes to meet any customer need.

ORDER GUIDE

MODEL	CORNER	WING SIZE	MOUNTING	OPTIONS
CGLS				-
	S Square	1 1"	D Drilled Holes	D135 135°
		1125 1-1/8"		
		2 2"		
		25 2-1/2"		

DETAILS

MATERIAL Clear Polycarbonate

MOUNTING Surface Mounted


MOUNTING METHOD Mechanical

SIZE 1 inch to 2-1/2 inches

LENGTH 4 or 8 Linear Feet

CORNER ANGLE 90° or 135°

CORNER STYLE Square



Vinyl Door

CORNER GUARDS

Nystrom's Vinyl Door Guards are designed with a 1-1/4 inch radius cover that is mounted over a continuous aluminum cover. The top and bottom caps "lock" the profile cover in place while the retainer can be modified to fit most door frame styles.

ORDER GUIDE

MODEL	MATERIAL	MOUNTING	SIZE	OPTIONS
DG				- P
	V Vinyl	S Surface	3 3"	

ACCESSORIES
EC End Cap

DETAILS

MATERIAL Vinyl

FINISH Textured

MOUNTING Surface Mounted

MOUNTING METHOD Mechanical

SIZE 3 inches

LENGTH Up to 20 Linear Feet

CORNER ANGLE 90°

CORNER STYLE Bull Nose

CORNER RADIUS 1-1/4 inch

Stainless Steel

CRASH RAIL

Nystrom's Stainless Steel Crash Rails offer a superior level of protection in high abuse areas. The stainless steel gives a high-tech appearance with industrial strength. Available in standard #4 satin finish or one of 11 embossed patterns. V-Groove available in 5-1/2 inch only.


DETAILS

MATERIAL 16 ga. Stainless Steel
FINISH #4 Satin or Embossed
MOUNTING Surface
MOUNTING METHOD Mechanical
SIZE 4 inch or 5-1/2 inch
RETAINER Continuous Wood


ORDER GUIDE

MODEL	SIZE	WING SIZE	OPTIONS
CRSS		-	
	4 4"	BS 2-3/4" Square Mounting Bracket	VG V-Groove
	55 5-1/2"	B12 2" I-Beam Mounting Bracket	
		B13 3" I-Beam Mounting Bracket	

ACCESSORIES
EC End Cap



Standard



V-Groove

Aluminum + Stainless Steel

CRASH RAIL

Nystrom's Aluminum and Stainless Steel Crash Rails are designed to protect your walls from carts and beds while providing a high-tech appearance.



DETAILS

MATERIAL 6063-T5 Aluminum or Stainless Steel, Type 304
FINISH Clear Anodized (Aluminum) or #4 Satin (Stainless Steel)
MOUNTING Extended Mount
MOUNTING METHOD Mechanical
SIZE 4 inch

ORDER GUIDE

MODEL	MATERIAL	OPTIONS
CR		E4 -
	A Aluminum	BS 2-3/4" Square Mounting Bracket
	S Stainless Steel	B12 2" I-Beam Mounting Bracket
		B13 3" I-Beam Mounting Bracket


ACCESSORIES
EC End Cap
IC Inside Corner
OC 90° Outside Corner



Vinyl

CRASH RAILS

Nystrom's standard Vinyl Crash Rails protect walls from damage by carts and beds. Available in multiple sizes and options, and embossed pattern in 70 color options.



FEATURES

RUGGED DURABILITY Protect any length of wall with versatile vinyl crash rails.

EMBOSSSED PATTERNS Designed with a modern and attractive appearance.

FIRE-RATED Meets National Building Standards and is Class A fire-rated.

DETAILS

MATERIAL Vinyl

FINISH Textured

MOUNTING Surface, Cushion or Extended

MOUNTING METHOD Mechanical

SHAPE Square or Crescent

SIZE

- Square: 4 inches, 6 inches or 7-3/4 inches
- Crescent: 5 inches or 8 inches

RETAINER Continuous Aluminum or Economy Clips


STANDARD

MODEL	MOUNTING	SIZE	RETAINER	OPTIONS	
CRV				-	- P
	S Surface	4 4"	C Continuous	B175 1-7/8" Extended Bracket	
	E Extended	6 6"	E Economy Clip	C05 1/2" Cushion Mount	
		775 7-3/4"			


SHAPE




Square




Crescent



Surface



1/2" Cushion



Extended Mount

CRESCENT SHAPE

MODEL	MOUNTING	SIZE	RETAINER	OPTIONS	
CRV				-	- P
	S Surface	5 5"	C Continuous	C05 1/2" Cushion Mount	
	E Extended	8 8"	E Economy Clip		

ACCESSORIES

- EC** End Cap
- SK** Splice Kit
- IC** Inside Corner
- OC** 90° Outside Corner

Vinyl

BUMPER GUARDS

Nystrom's standard bumper guards are designed with rounded, full-length vinyl covers and continuous retainers. Meets national building code standards.

DETAILS

MATERIAL Vinyl

FINISH Embossed

MOUNTING Surface or Cushion


MOUNTING METHOD Mechanical

SIZE 2 inches or 4-1/8 inches

SHAPE Crescent or Half-Round

RETAINER Continuous Aluminum

FIRE-RATING Class A



ORDER GUIDE

MODEL	MOUNTING	SIZE	C	-	OPTIONS	P
BGV						
	S Surface Mount	2 2"			C05 1/2" Cushion Mount	
	E Extended Mount	4125 4-1/8"				

ACCESSORIES
EC End Cap
OC 90° Outside Corner

Vinyl Rub Rail

BUMPER GUARDS

Nystrom's Rub Rail Bumper Guard is designed with an integrally colored flexible vinyl insert into a continuous aluminum retainer channel. Meets national building code standards.

DETAILS

MATERIAL Vinyl

FINISH Embossed


MOUNTING Surface

MOUNTING METHOD Mechanical

SIZE 1-1/2 inch

RETAINER Continuous Aluminum



FIRE-RATING Class A



ORDER GUIDE

MODEL	-	P
BGVS15C		

ACCESSORIES
EC End Cap
OC 90° Outside Corner



ORDER GUIDE

MODEL	ACCESSORIES		
HRVE15C	-		- P
	BR	Bracket	
	SK	Splice Kit	
	LR	Left Return	
	RR	Right Return	
	IOC	Inside/Outside Corner	

1-1/2" Round

VINYL HANDRAIL

Nystrom's 1-1/2 inch diameter Round Handrail is constructed of a continuous aluminum retainer. An embossed vinyl cover encases the retainer. This standard handrail is Class A fire-rated and meets national building code standards.

DETAILS

MATERIAL Vinyl

FINISH Textured

MOUNTING Mounting Bracket


MOUNTING METHOD Mechanical

SIZE 1-1/2 inches

SHAPE Round

RETAINER Continuous Aluminum

FIRE RATING Class A



ORDER GUIDE

MODEL	OPTIONS		
HRVE55C	-		- P
	AS	Accent Strip	

ACCESSORIES	
SK	Splice Kit
LRR	Left/Right Return
IOC	Inside/Outside Corner

5-1/2" Standard

HANDRAIL WITH CRASH RESISTANCE

Nystrom's Standard 5-1/2 inch Handrail is constructed to withstand impact with built-in crash protection. The sturdy mounting brackets maintain wall clearance and stability while providing support in medium- to high-impact areas. End and corner caps are available as semi-rigid plastic. Optional reveals provide additional design options.

DETAILS

MATERIAL Vinyl

FINISH Embossed

MOUNTING Extended

MOUNTING METHOD Mechanical

SIZE 5-1/2 inches

RETAINER Continuous Aluminum

FIRE RATING Class A

OPTIONS



Accent Strip

6-1/4" Accent Strip

HANDRAIL WITH THUMB GRIP

Nystrom's 6-1/4 inch Accent Strip Handrail with a thumb grip is constructed to withstand impact with built in crash protection. Designed with sturdy mounting brackets to maintain wall clearance and stability while providing support in medium- to high-impact areas. This three piece vinyl handrail allows for hundreds of color combinations while providing durable, attractive aesthetics.



FEATURES

NEW OR EXISTING CONSTRUCTION Easily installed on new or existing walls.

EMBOSSED PATTERNS Designed with a modern and attractive appearance.

FIRE-RATED Available with Class A fire-rating.

DETAILS

MATERIAL Vinyl

FINISH Embossed

MOUNTING Extended


MOUNTING METHOD Mechanical

SIZE 6-1/4 inch

SHAPE Irregular

RETAINER Continuous Aluminum

FIRE RATING Class A



ORDER GUIDE

MODEL	ACCESSORIES		
HRVE625C	-		- P
	SK	Splice Kit	
	LR	Left Return	
	RR	Right Return	
	OC	90° Outside Corner	



Stainless Steel

WALL COVERING

Nystrom's Architectural Stainless Steel Wall Covering can be used in a wide variety of applications. This sturdy wall covering is available in various thicknesses and 10 embossed patterns, or a classy satin finish. These metal sheets can be added to walls, doors, and cabinetry in virtually any facility.

ORDER GUIDE

MODEL	THICKNESS	SIZE	OPTIONS
WCS			-
16	16 Gauge	S4X8 4' x 8' Sheet S4X10 4' x 10' Sheet	DHS Drilled Holes & Hardware DHC Countersunk Holes & Hardware
18	18 Gauge		
14	14 Gauge		

DETAILS

MATERIAL 16 Gauge, Type 304 Stainless Steel


FINISH #4 Satin or Embossed

MOUNTING Surface

MOUNTING METHOD Mechanical

SIZE

- 4 feet by 8 feet
- 4 feet by 10 feet



ORDER GUIDE

MODEL	THICKNESS	SIZE	ACCESSORIES
WCV			- P
030	.030"	Sheet	Trim Molding
040	.040"	S4X8 4' x 8' Sheet S4X10 4' x 10' Sheet	MJM1 J-Molding MIC1 Inside Corner Molding MOC1 Outside Corner Molding MDB1 Divider Bar - .028" and .04" thickness only
060	.060"	Roll [†]	CMC Color Match Caulk HPROLLER Heavy Pressure Roller
080	.080"	R2X120 2' x 120"	Adhesives
090	.090"	R3X120 3' x 120"	ADF1 #M Fastbond Contact Cement (1 Gallon)
125	.125"	R4X120 4' x 120"	ADF5 #M Fastbond Contact Cement (5 Gallon)
			ADM1 Super Tek XT-2000 Mastic (1 Gallon)
			ADM5 Super Tek XT-2000 Mastic (5 Gallon)
			ADSL Spray Lock Adhesive (22 oz Can)
			Substrate Sealer
			DS1 Dry-Seal Substrate Sealer (1 Gallon)
			DS55 Dry-Seal Substrate Sealer (5 Gallon)

[†] Roll only available on .030 inch and .040 inch thick sheets.

[‡] .125 inch thick sheet is unrated.

Vinyl

WALL COVERING

Nystrom's Vinyl Wall Covering can be used in a wide variety of applications. This sturdy wall covering is available in various thicknesses and 70 color options with a classic embossed pattern.

DETAILS

MATERIAL Vinyl

FINISH Embossed

MOUNTING Surface

MOUNTING METHOD Adhesive

SIZE

- 4 feet by 8 feet
- 4 feet by 10 feet

MATERIAL



Vinyl

Vinyl

COLOR OPTIONS

						
White	Linen White	Mission White	White Sand	Pearl	Eggshell	Champagne
						
Monterey	Pumice	Porcelain	Wheat	Ivory	Pale Yellow	Saffron
						
Chablis	Dover White	Doeskin	Mojave Sand	Desert Sand	Tan	Khaki Brown
						
Silkworm	Cappuccino	Toffee	Shoreline	Caisson	Ginger Spice	Mocha
						
Cafe Au Lait	Brown	Beige Desert	Ecru	Lavendar Heather	Dawn	English Rose
						
Victorian Rose	Plumberry	Cordovan	Woodlands	Sea Foam	Teal	Stormy Blue
						
Sage Green	Pale Jade	Grotto	Hunter Green	Amazon	Blue Ice	Blue Fog

Colors shown give only an indication of shade. Samples are available upon request.

Vinyl



COLOR OPTIONS



RAPID RESPONSE

Highlighted colors may be available for quick ship; subject to profile and quantity limitations.

All other colors have longer lead-times.



Stainless Steel

PATTERN OPTIONS

The #4 satin finish comes standard in 16 gauge thickness for both type #304 and #430 stainless steel. Embossed stainless steel is available in type #304 stainless. Thickness varies depending on the pattern.

Visit www.nystrom.com for the latest version
of this document and more information.



9300 73rd Avenue North
Minneapolis, MN 55428

Phone (800) 547-2635
Fax (800) 317-8770



www.nystrom.com