1/4" x 3/4" ALUMINUM EDGING 4 1/4" [109mm] **FACTORY ATTACHED** FINISH FLOOR (#AFB250-750-12A) (BY OTHERS) 3 7/8" [98mm] #10-24 x 1/2" FHMS -3/4" [19mm] (#31793) @ 18" O.C. #10 x 5/8" PFH/SS SELF-DRILLING 1/4" **ASSEMBLY** SCREW (#31804) @ 18" O.C. [6mm] **HEIGHT** 0000000 **ALUMINUM SUPPORT** 1 5/16" BRACKET (#N100) [33mm] GROUT Ø3/16" x 1 3/4" HH TAPCON (BY OTHERS) (#27529) @ 18" O.C. 1/8" ALUMINUM WING PLATE -(#SFP-WP-2-250) ALUMINUM FRAME (#D106) 2 3/8" 3/16" ALUMINUM COVER PLATE [60mm] (#SFP-CP-2W-250) Ø3/16" x 1 3/4" HH TAPCON 3 1/2" [89mm] — - 2" [51mm] -(#27529) @ 18" O.C.

## FLOOR TO WALL NO BUMP APPLICATION

EXPOSED FINISH: MILL INFILL DEPTH = 1/4"

MOVEMENT: +/- 25% NOMINAL JOINT WIDTH

STOCK LENGTHS: 10'-0"

	PROJECT:						
	ARCHITECT: CONTRACTOR: QTY: PART#:  Anystrom  9300 73'd Ave N., Minneapolis, MN 55428 800-547-2635 info@nystrom.com						
					EJN-SFP-200W-250		
					TITLE: SEISMIC ALUMINUM INFILL FLOORING SYSTEM - NO BUMP APPLICATION		
		NAME	DATE	SIZE	DWG. NO.		REV
:	DRAWN	JPK	09/23/24	Α	EJN-SFP-200W-	250	Α
	RELEASED WE			WE	IGHT:	SHEET 1	OF 1

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING, IS SOLE PROPERTY OF NYSTROM. ANY REPRODUCTION IN PART OR AS A WHOLE, WITHOUT THE WRITTEN PERMISSION OF NYSTROM, IS PROHIBITED. © 2020 NYSTROM, INC.

2

1