

## INTERIOR WALL & CLG. SURFACE APPLICATION

EXPOSED ALUMINUM FINISH: CLEAR ANODIZED MOVEMENT: +/- 50% NOMINAL JOINT WIDTH STOCK LENGTHS: ALUMINUM FRAMES: 10'-0"

**SEAL: CONTINUOUS** 

	PROJECT:							
	ARCHITECT:							
	CONTRACTOR:							
	QTY:							
	PART#:				EJN-LCS-200			
	<b>● 《 nystrom</b> °				TITLE:			
	9300 73 <sup>rd</sup> Ave N., Minneapolis, MN 554428 800-547-2635 info@nystrom.com				SEISMIC ELASTOMERIC CORRIDOR WALL & CEILING SYSTEM SURFACE APPLICATION			
		NAME	DATE	SIZE	DWG NO	E IN 1 00 000	`	REV
₹	DRAWN	JPK	1/03/2023	Α		EJN-LCS-200	,S-200 A	
	RELEASED			WE	IGHT:		SHEET 1	OF 1

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING, IS SOLE PROPERTY OF NYSTROM. ANY REPRODUCTION IN PART OR AS A WHOLE, WITHOUT THE WRITTEN PERMISSION OF NYSTROM, IS PROHIBITED. © 2020 NYSTROM, INC.

2