|--- 2" [51mm] --- #DBAR5 w/ Ø1/4-20 x 1-1/2" LG. PPMS/SS (#31907) @ 18" O.C. ∕√Ø3/16" FH DRYWALL OR MASONARY ANCHOR @ 18" O.C. (BY INSTALLER) 1" [25mm] 1/2" [13mm] **ALUMINUM FRAME SPACER (#1216)** (#D212) VINYL (#SE23) .090" ALUMINUM COVER PLATE — (#RJ-CP-2) — 7" [178mm] ————

ALUMINUM WALL & CEILING SYSTEM INTERIOR APPLICATION

EXPOSED FINISH: MILL

MOVEMENT: +/- 50% NOMINAL JOINT WIDTH

STOCK LENGTHS: 10'-0"

		PROJEC	• •					
	CONTRACTOR:							
	QTY:							
	PART#: Name of the part of th				EJN-RJI-200			
					TITLE: SEISMIC ALUMINUM WALL & CEILING SYSTEM - INTERIOR APPLICATION			
	DRAWN	NAME JPK	DATE 04/24/24	SIZE A	DWG. NO.	EJN-RJI-200	1	REV A
	RELEASED		04/24/24		IGHT:		SHEET 1	

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING, IS SOLE PROPERTY OF NYSTROM. ANY REPRODUCTION IN PART OR AS A WHOLE, WITHOUT THE WRITTEN PERMISSION OF NYSTROM, IS PROHIBITED. © 2020 NYSTROM, INC.

2