


SECTION A-A



SECTION B-B

SPECIFICATIONS:

- ① **COVER:**
11 GA (.090) ALUM STIFFENED TO WITHSTAND A LIVE LOAD OF 40PSF WITH A MAX DEFLECTION OF 1/150 OF THE SPAN.
- ② **LINER:** 18 GA (.040) ALUM
- ③ **CURB:** 11 GA (.090) ALUM CURB COUNTERFLASH WITH EZ TABS.
- ④ **FINISH:** MILL
- ⑤ **INSULATION:** 1" POLYISO R-6 (5.6 LTTR) IN CURB,
1" POLYSTYRENE R-4 (3.8 LTTR) IN COVER.
- ⑥ **GASKET:**
EXTRUDED EPDM RUBBER ADHESIVE BACKED GASKET SEAL CONTINUOUS AROUND COVER.
- ⑦ **SPRING:**
GAS SPRING WITH DAMPER FOR SMOOTH, CONTROLLED, COUNTERBALANCED LIFT ASSISTANCE.
- ⑧ **HINGE:** PINTLE HINGE WITH STAINLESS STEEL HINGE PINS.
- ⑨ **HOLD OPEN ARM:**
ZINC PLATED STEEL AUTOMATIC HOLD OPEN ARM LOCKS COVER IN FULLY OPEN POSITION WITH RED GRIP HANDLE PULL RELEASE.

⑩ LATCH:


ZINC PLATED STEEL SLAM LATCH, HOLDS COVERS CLOSED AGAINST WIND UPLIFT, INTERIOR AND EXTERIOR HANDLES WITH PADLOCK HASPS.

⑪ PULL HANDLE:

INTERIOR PULL DOWN HANDLE, SAFETY YELLOW POWDER COAT.

NOTES:

- WHEN INSTALLING ON A PITCHED ROOF UP TO 7:12, THE HINGE SIDE(LENGTH)MUST BE PARALLEL TO THE SLOPE.
- WIDTH X LENGTH DIMENSIONS ARE MEASURED INSIDE CURB TO INSIDE CURB. THE WIDTH IS HINGE TO LATCH AND LENGTH IS HINGED SIDE.






MIAMI-DADE COUNTY
APPROVED

MIAMI DADE ACCEPTANCE NO: 21-1201.01
EXPIRATION DATE: 5/25/2027

TEST CERTIFICATIONS:



TAS201-94 IMPACT TEST - CLASS IV
TAS202-94 UNIFORM STATIC AIR PRESSURE
TAS203-94 CYCLE WIND PRESSURE LOAD

| | | | |
|--|------|--------|----------------|
| PROJECT: | | | |
| ARCHITECT: | | | |
| CONTRACTOR: | | | |
| QTY: | | | |
| PART#: | | | |
| <div></div> <div>9300 73rd Avenue North Minneapolis, MN 55428</div> | | | TITLE: |
| | NAME | DATE | SIZE DWG. NO. |
| DRAWN | DWO | 1/3/22 | A A_X_ ShpDr |
| RELEASED | DWO | 1/3/22 | WEIGHT: Varies |
| | | | REV A |
| | | | SHEET 1 OF 2 |



EZ TAB TO SECURE
MEMBRANE
VARIES 5"-8"

WOOD, CONCRETE, OTHER
MATERIAL FOR MOUNTING
BY OTHERS (NIC)



DETAIL C
SCALE 1 : 8



9300 73rd Avenue North
Minneapolis, MN 55428

TITLE:

| | NAME | DATE | SIZE | DWG. NO. | REV |
|----------|------|--------|----------------|-----------|-----|
| DRAWN | DWO | 1/3/22 | A | A_X_ShpDr | A |
| RELEASED | DWO | 1/3/22 | WEIGHT: Varies | | |

SHEET 2 OF 2