



SECTION A-A



SECTION B-B

**SPECIFICATIONS:**

① **COVER:**
14 GA GALV STEEL, STIFFENED TO WITHSTAND A LIVE LOAD OF 40PSF WITH A MAX DEFLECTION OF 1/150 OF THE SPAN.

② **LINER:** 22 GA GALV STEEL

③ **CURB:** 14 GA GALV STEEL, CURB COUNTERFLASH WITH EZ TABS.

④ **FINISH:** RED OXIDE PWD

⑤ **INSULATION:** 1" POLYISO R-6 (5.6 LTTR) IN CURB,
1" POLYSTYRENE R-4 (3.8 LTTR) IN COVER.

⑥ **GASKET:**
EXTRUDED EPDM RUBBER ADHESIVE BACKED GASKET SEAL CONTINUOUS AROUND COVER.

⑦ **SPRING:**
GAS SPRING WITH DAMPER FOR SMOOTH, CONTROLLED, COUNTERBALANCED LIFT ASSISTANCE.

⑧ **HINGE:** PINTLE HINGE WITH STAINLESS STEEL HINGE PINS.

⑨ **HOLD OPEN ARM:**

ZINC PLATED STEEL AUTOMATIC HOLD OPEN ARM LOCKS COVER IN FULLY OPEN POSITION WITH RED GRIP HANDLE PULL RELEASE.

⑩ **LATCH:**

ZINC PLATED STEEL SLAM LATCH, HOLDS COVERS CLOSED AGAINST WIND UPLIFT, INTERIOR AND EXTERIOR HANDLES WITH PADLOCK HASPS.

⑪ **PULL HANDLE:** INTERIOR PULL DOWN HANDLE**NOTES:**

- WHEN INSTALLING ON A PITCHED ROOF UP TO 7:12, THE HINGE SIDE (LENGTH) MUST BE PARALLEL TO THE SLOPE.
- WIDTH X LENGTH DIMENSIONS ARE MEASURED INSIDE CURB TO INSIDE CURB. THE WIDTH IS HINGE TO LATCH AND LENGTH IS HINGED SIDE.

MIAMI-DADE COUNTY
APPROVED

MIAMI DADE ACCEPTANCE NO: 21-1201.01
EXPIRATION DATE: 5/27/2027


TEST CERTIFICATIONS:

TAS201-94 IMPACT TEST - CLASS IV
TAS202-94 UNIFORM STATIC AIR PRESSURE
TAS203-94 CYCLE WIND PRESSURE LOAD



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NYSTROM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BABCOCK-DAVIS IS PROHIBITED. ©2020 NYSTROM

PROJECT:					
ARCHITECT:					
CONTRACTOR:					
QTY:					
PART#:					
 9300 73rd Avenue North Minneapolis, MN 55428				TITLE:	
				Roof Hatch, Personnel S Dr, Zinc Hdw, Galv, Ø:æ Pwd, Sngl Wall Curb	
	NAME	DATE	SIZE	DWG. NO.	REV
DRAWN	PNN	02/02/22	A	G_X_-2PT ShpDr	A
RELEASED	PNN	02/02/22	WEIGHT: Varies	SHEET 1 OF 2	


B



A



B



DETAIL C
SCALE 1 : 8

A

				TITLE: Roof Hatch, Personnel S Dr, Zinc Hdw, Galv, Oil Pwd, Sngl Wall Curb	
9300 73rd Avenue North Minneapolis, MN 55428				DWG. NO. G_X_-2PT ShpDr	REV A
DRAWN	PNN	02/02/22	SIZE A		
RELEASED	PNN	02/02/22	WEIGHT: Varies	SHEET 2 OF 2	