



February 2025

RE: Sustainability Statement

Nystrom certifies and provides the following information for use in achieving LEED v4.1 credit for the specification of our Retrofit Roof Hatch in Aluminum.

Product: Aluminum Retrofit Roof Hatch

Model: RHRA

Manufacturing Information:

- Final Assembly Location: Minneapolis, MN
- Extraction point is not within 500 miles of manufacturing

LEED Credit Contributions

Category: Materials and Resources (MR)

Credit: Sourcing of Raw Materials (1-2 Points)

Recycled Content: Nystrom Aluminum Retrofit Roof Hatch is constructed of:

- 74-76% Aluminum Alloy, which suppliers estimate consists of 80% Recycled Content (40-80% Pre-Consumer Content; 10-30% Post-Consumer Content)
- 12.5-15% Steel Alloy, for which LEED® allows a default value of 25% post-consumer recycled content

Category: Materials and Resources (MR)

Credit: Material Ingredients

Material Ingredient Reporting (1 Point): A published, complete Health Product Declaration (HPD) is available for [Aluminum Retrofit Roof Hatch](#), with full disclosure of known hazards of all substances present at or above 0.1% (1000 ppm), in compliance with the Health Product Declaration Open Standard. Nystrom Aluminum Retrofit Roof Hatch can therefore contribute one whole product to the 20 different permanently installed products required for this credit.

Category: Indoor Environmental Quality (EQ)

Credit: Low-Emitting Materials (Up to 3 Points)

Nystrom Aluminum Retrofit Roof Hatch is constructed of at least 94% powder-coated, plated or anodized metals, which LEED considers inherently non-emitting sources of VOCs.

If you require any further information, please contact us at (800) 547-2635.