


# Color Anodizing

Color anodizing is available for all aluminum frames and for the following aluminum rails: GRATEDesign, MATdesign, QuietFLEX and alumaGRIL.




# Dual Treads

Nystrom now offers dual treads on mats and grilles. Dual treads offer design flexibility to mix and match treads, and to offer both absorbent and scraping treads in one system.

## AVAILABLE SYSTEMS INCLUDE

- GRATEDesign® Rigid Grille
- GRATEDesign® Roll-Up Grille
- QuietFLEX® Roll-Up Mat
- MATdesign™ Roll-Up Mat
- MATrac™ Roll-Up Mat



Dual tread premium carpet and brush shown

PRIMARY TREAD	SECOND TREAD
PREMIUM CARPET	EcoTread
	Vinyl
	Ribbed Rubber
	Abrasive Insert
	Serrated Aluminum*
	Brush
RUGGED SCRUB	EcoTread
	Vinyl
	Ribbed Rubber
	Abrasive Insert
	Serrated Aluminum*
	Brush

\*Not available for MATdesign Roll-Up Mat and GRATEDesign Roll-Up Grille.



Sandbar



Sandstone



Espresso



Smoke




Slate



Chrome




Wrought Iron



Castle Gray



Gun Metal




Graphite



Fern



Hearty Moss



Denim



Chocolate  
Chip



Charcoal



Tan



Licorice




Black




Midnight  
Black



Milky Way



Rock Storm



Blue Night

# Premium Carpet

## COLOR OPTIONS

Nystrom uses the highest-quality carpet available for our mats and grilles.

**CONSTRUCTION** Carpet fibers are 3700 denier solution-dyed woven nylon and shall include a minimum of 100 10 ml mono filament fibers per square inch. Carpet weight shall be 33 oz. per square yard.

APPLICATION	FUNCTION
INTERIOR	Absorbent & Scraping

# Rugged Scrub<sup>®</sup>

## COLOR OPTIONS

This rugged carpet alternative is perfect for heavy-duty applications, is easy to maintain and the ideal solution for exterior and interior applications.

**CONSTRUCTION** 600 denier, solution-dyed polypropylene, tufted.

APPLICATION	FUNCTION
INTERIOR/EXTERIOR	Absorbent & Scraping

# EcoTread<sup>™</sup>

## COLOR OPTIONS

Recycled rubber with EPDM backing. Provides a minimum of 64% post-consumer, 5.5% pre-consumer recycled content.

**STANDARD COLOR** Midnight black

APPLICATION	FUNCTION
INTERIOR/EXTERIOR	Slip Resistant

Colors shown give only an indication of shade. Samples are available upon request

# EnvIRONtreadII®

## COLOR OPTIONS

Constructed of truck and airplane tire strips, EnvIRONtreadII lasts longer than other textile entrance mats and grilles.

**STANDARD COLOR** Gray. Black may carry an additional charge.

**NOTE** Due to the recycled contents, there may be a significant color variation in this product.

APPLICATION	FUNCTION
INTERIOR	Absorbent & Scraping



Gray



Black


# Ribbed Rubber

## COLOR OPTIONS

The new dual durometer, TPV rubber tread is ideal for interior/exterior areas where moisture absorbency is not required.

**CONSTRUCTION** Vinyl base and a TPV, PVC-free, convex shaped tread with continuous serrations.

APPLICATION	FUNCTION
INTERIOR/EXTERIOR	Scraping



Black


# Vinyl

## COLOR OPTIONS

Use vinyl in high-traffic, interior areas where moisture absorbency is not required.

**CONSTRUCTION** Extruded vinyl convex shape, continuous serrations.

APPLICATION	FUNCTION
INTERIOR/EXTERIOR	Scraping



Blue



Gray




Beige



Red



Dark Brown



Black


# Abrasive Insert

## COLOR OPTIONS


Use abrasive inserts in interior areas where slip resistance is critical.

**CONSTRUCTION** Flexible abrasive bonded to a rigid bio-based/recycled plastic tread insert.


APPLICATION	FUNCTION
INTERIOR	Slip Resistant




Brick Red




Dark Brown



Ocean Gray



Safety Yellow



Flat Black


# Serrated Aluminum

## COLOR OPTIONS

Use serrated aluminum in interior areas where scraping is critical.

**CONSTRUCTION** Serrated aluminum, mill finish.

APPLICATION	FUNCTION
INTERIOR/EXTERIOR	Scraping



Mill

# Brush

## COLOR OPTIONS

Nystrom's new rugged, brush is a premier scraping tread, ideal for snowy northern climates.

**CONSTRUCTION** Brush tread insert is constructed of rigid nylon bristles, 9 tufts per inch, each tuft contains 80 bristles.

APPLICATION	FUNCTION
INTERIOR/EXTERIOR	Scraping



Black

# Polyester Carpet

## COLOR OPTIONS

For MAXtread systems only. Use polyester carpet in interior or exterior areas where moisture removal and scraping is critical.

**CONSTRUCTION** Crimped solution-dyed 2750 denier polypropylene fibers tufted into a woven double backing and glued tread rails. Carpet weigh shall be 26 oz./yd<sup>2</sup>.

APPLICATION	FUNCTION
INTERIOR/ EXTERIOR	Absorbent & Scraping



Black



Gray



Brown


# Vinyl Mat

## COLOR OPTIONS


Use vinyl grilles in interior areas where scraping is critical.

**CONSTRUCTION** Injection molded Polyvinyl Chloride (PVC).

APPLICATION	FUNCTION
INTERIOR/EXTERIOR	Scraping



Black



Gray



Brown

Colors shown give only an indication of shade. Samples are available upon request