

August 2022

RE: Sustainability Statement

Nystrom certifies and provides the following information for use in achieving LEED v4 credit for the specification of Nystrom Equipment Roof Hatch, Aluminum Curb and Cover.

**Product**            Equipment Roof Hatch Aluminum Curb and Cover  
**Model(s)**           RHEA

**Manufacturing Info**

- Final Assembly Location: Brooklyn Park, MN
- Extraction point is not within 500 miles of manufacturing

**LEED Credit Options**

- MR Credit: Building Product Disclosure and Optimization – Material Ingredients
  - Option 1. Material Ingredient Reporting (1 point) Use at least 20 different permanently installed products from at least five different manufacturers that use any of the following programs to demonstrate the chemical inventory of the product to at least 0.1% (1000 ppm). (10 different permanently installed products from at least three different manufacturers for CS and Warehouses & Distribution Centers)
    - Health Product Declaration. The end use product has a published and complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration open Standard.

If you require any further information, please do not hesitate to contact us at (800) 547-2635.

HPD UNIQUE IDENTIFIER: 28398

CLASSIFICATION: 07 72 33 Roof Hatches

PRODUCT DESCRIPTION: Roof Hatches provide safe and convenient access to commercial building roof areas using interior ladders and stairs. Single door and double door Equipment Roof Hatch are engineered to accommodate extra large equipment access through roofs. With options like curb mounts, heights, and finishes Nystrom is sure to meet your equipment servicing needs. Equipment Roof Hatches are available with single or double door;. This HPD covers the Aluminum Curb and Cover Equipment Roof Hatch (Model RHEA)

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold Level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes  No

All Substances Above the Threshold Indicated Are:

Characterized  Yes Ex/SC  Yes  No

% weight and role provided for all substances.

Screened  Yes Ex/SC  Yes  No

All substances screened using Priority Hazard Lists with results disclosed.

Identified  Yes Ex/SC  Yes  No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

EQUIPMENT ROOF HATCH (ALUMINUM CURB AND COVER) [ ALUMINUM BM-1 | END | RES | PHY STEEL NoGS POLYISOCYANURATE FOAM LT-P1 POLYSTYRENE LT-UNK CELLULOSE PULP NoGS CARBON BLACK BM-1 | CAN ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM) LT-UNK ZINC LT-P1 | END | MUL | PHY | AQU RESIN BINDER NoGS LIMESTONE, CALCIUM CARBONATE BM-3dg ALUMINA TRIHYDRATE BM-2 | RES FERRIC OXIDE BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to suppliers.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-04-30

PUBLISHED DATE: 2022-04-30

EXPIRY DATE: 2025-04-30

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpdc-collaborative.org/hpd-2-2-standard](http://www.hpdc-collaborative.org/hpd-2-2-standard)

### EQUIPMENT ROOF HATCH (ALUMINUM CURB AND COVER)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered by following the suggestions of Emerging Best Practices. More than 95% of this product consists of metal alloys, for which Pharos CML may consider the various alloying elements as "Known or Potential Residuals". Therefore, these components have been included in the Substance Notes instead of as individual content entries. Components are listed by name, CASRN, percent by weight (as per supplier SDS), and relevant GreenScreen score.

OTHER PRODUCT NOTES: Percent by weight of substances given as ranges to account for material differences between product lines.

#### ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-30 14:04:56

#: 61.0000 - 63.0000 GS: BM-1 RC: Both NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H228 - Flammable solid [Flammable solids - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES: Curb and Cover, Channel, Mixed Hardware. Recycled content of Aluminum confirmed by supplier to range from 5% to about 60%, with typical recycled content of 35%. Documentation from supplier provides the following composition for alloying elements that may individually exceed the declared threshold: <6.6% Magnesium [7439-95-4; LT-UNK]; <1.5% Silicon [7440-21-3; LT-UNK]; <1.8% Iron [7439-89-6; LT-P1]; <1.1% Chromium [7440-47-3; LT-P1]; <4.0% Zinc [7440-66-6; LT-P1]; <1.9% Manganese [7439-96-5; LT-P1]. Curb and cover also available in 14 gauge Galvanneal Steel or 14 gauge Type 304 Stainless Steel.

#### STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-30 14:04:56

#: 35.0000 - 37.0000 GS: NoGS RC: Both NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Spring/Hinge Assembly, Hold Open Arm, Latch, Mixed Hardware. Recycled content estimated by suppliers for steel used in product ranges from 18.5% total (14.0% pre-consumer and 4.5% post-consumer recycled scrap) to 97.8% total (36.5% pre-consumer and 61.3% post-consumer recycled scrap). Documentation from supplier provides the following composition for alloying elements that may individually exceed the declared threshold: max 3.1% Silicon [7440-21-3; LT-UNK]; max 2.5% Manganese [7439-96-5; LT-P1]; max 1.6% Aluminum [7429-90-5; LT-P1]; max 1.8% Nickel [7440-02-0; LT-1]; max 1.0% Chromium [7440-47-3; LT-P1]; max 0.2% Vanadium [7440-62-2; LT-1].

**POLYISOCYANURATE FOAM**

ID: 9063-78-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-30 14:04:57**%: **0.5000 - 1.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Curb insulation.

**POLYSTYRENE**

ID: 9003-53-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-30 14:04:57**%: **0.3000 - 0.4000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Cover insulation.

**CELLULOSE PULP**

ID: 65996-61-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-30 14:04:58**%: **0.1000 - 0.2000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Insulation Facer.

**CARBON BLACK**

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-30 14:04:58**%: **0.1000 - 0.2000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES: Gaskets, Insulation. GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool.

**ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM)**

ID: 25038-36-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-30 14:04:59**

#: 0.1000 - 0.2000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Gaskets.

**ZINC**

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-30 14:04:59**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]

SUBSTANCE NOTES: Galvanized steel. Spring/Hinge Assembly, Hold Open Arm, Latch, Mixed Hardware.

**RESIN BINDER**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-30 14:05:00**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Powder coating applied to Steel option. Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

**LIMESTONE, CALCIUM CARBONATE**

ID: 1317-65-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-30 14:05:01**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Powder coating applied to optional Steel. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

### ALUMINA TRIHYDRATE

ID: 21645-51-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-30 14:05:01**

#: **0.0000 - 0.2000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Powder coating applied to optional Steel. GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

### FERRIC OXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-30 14:05:02**

#: **0.0000 - 0.2000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Powder coating applied to Steel option. GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Greenscreen® Assessment prepared by ToxServices (14 Oct 2019); chemical listed on ToxFMD Screened Chemical Library as "Pigment Red 101 - Inhalation".

### TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-30 14:05:03**

#: **0.0000 - 0.2000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: Powder coating applied to Steel option. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Form-specific hazards: airborne particles of respirable size – occupational setting.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### CDPH Standard Method – Not tested

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2022-04-

EXPIRY DATE:

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: N/A

30

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### ALUMINUM SAFETY RAILING

HPD URL: <https://hpdrepository.hpd->

[collaborative.org/repository/HPDs/publish\\_341\\_Aluminum\\_Safety\\_Railing.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_341_Aluminum_Safety_Railing.pdf)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

OSHA compliant fall protection safety railings and posts specifically designed for Roof Hatches, Smoke Vents and Floor Doors.

## Section 5: General Notes

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Nystrom  
**ADDRESS:** 9300 73rd Avenue North  
 Minneapolis MN 55428, United States  
**WEBSITE:** www.nystrom.com

**CONTACT NAME:** Sandy McWilliams  
**TITLE:** Director, Business Development  
**PHONE:** (800) 547-2635  
**EMAIL:** smcwilliams@nystrom.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*