

RE: Sustainability Statement

Nystrom certifies and provides the following information for use in achieving LEED v4 credit for the specification of Nystrom Stair Treads and Nosings.

**Product** EcoTread Stair Treads and Nosings

**Model(s)** STSB, STSF, STSB-N, STSF-N, STTG, STTB, STRB with EcoTread Insert

**Manufacturing Info**

- Final Assembly Location: Brooklyn Park, MN
- Extraction point is not within 500 miles of manufacturing

**LEED Credit Options:**

Product Disclosure and Optimization – Material Ingredients

- Option 1. Material Ingredient Reporting (1 point) Use at least 20 different permanently installed products from at least five different manufacturers that use any of the following programs to demonstrate the chemical inventory of the product to at least 0.1% (1000 ppm). (10 different permanently installed products from at least three different manufacturers for CS and Warehouses & Distribution Centers)
  - Health Product Declaration. The end use product has a published and complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration open Standard.

If you require any further information, please do not hesitate to contact us at (800) 547-2635

HPD UNIQUE IDENTIFIER: 26983

CLASSIFICATION: 05 55 16 Metal Stair Nosings

PRODUCT DESCRIPTION: EcoTread Stair Treads and Nosings are extruded aluminum with EcoTread, slip resistant, replaceable, recycled rubber treads. Available in a wide variety of colors, they provide an alternative to the traditional abrasive filled stair nosing.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities, and Characterized/Screened/Identified. Includes options for reporting methods, thresholds, and screening results.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

EXTRUDED ALUMINUM WITH RECYCLED RUBBER (ECOTREAD) STAIR TREAD AND NOSINGS [ ALUMINUM (PRIMARY CASRN IS 7429-90-5) BM-1 | END | RES | PHY POLYURETHANE LT-P1 STYRENE BUTADIENE RUBBER (SBR) LT-UNK ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK WATER BM-4 CLAY NoGS LIMESTONE, CALCIUM CARBONATE BM-3dg PEROXIDE, (1,1,4,4-TETRAMETHYL TETRAMETHYLENE) BIS(TERT-PENTYL NoGS ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM) LT-UNK HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL) LT-1 | CAN | MUL BUTANEDIOIC ACID, 1,4-DIMETHYL ESTER, POLYMER WITH 4-HYDROXY-2,2,6,6-TETRAMETHYL-1-PIPERIDINEETHANOL LT-UNK POLY((6-((1,1,3,3-TETRAMETHYLBUTYL)AMINO)-1,3,5-TRIAZINE-2,4-DIYL)((2,2,6,6-TETRAMETHYL-4-PIPERIDINYL)IMINO)-1,6-HEXANEDIYL((2,2,6,6-TETRAMETHYL-4-PIPERIDINYL)IMINO)) NoGS TALC BM-1 | CAN C.I. PIGMENT BLUE 15 BM-3 TITANIUM DIOXIDE LT-1 | CAN | END CARBON BLACK BM-1 | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method – Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2022-01-03

PUBLISHED DATE: 2022-01-03

EXPIRY DATE: 2025-01-03

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### EXTRUDED ALUMINUM WITH RECYCLED RUBBER (ECOTREAD) STAIR TREAD AND NOSINGS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED:  
Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered by following the suggestions of Emerging Best Practices. Approximately 80% of this product consists of metal alloys, for which Pharos CML may consider the various alloying elements as "Known or Potential Residuals". Therefore, these components have been included in the Substance Notes instead of as individual content entries. Components are listed by name, CASRN, percent by weight (as per supplier SDS), and relevant GreenScreen score. Residuals/Impurities for the recycled rubber treads are as per supplier HPD and as predicted by process chemistry (Pharos CML).

OTHER PRODUCT NOTES: Percent by weight of substances given as ranges to account for possible material differences between product options, as due to disclosure preference of suppliers.

#### ALUMINUM (PRIMARY CASRN IS 7429-90-5)

ID: 477951-22-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-03 19:57:41

#: 80.0000 - 83.0000 GS: BM-1 RC: Both NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H228 - Flammable solid [Flammable solids - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES: Recycled content confirmed by supplier as average 80%, including average 67% pre-consumer/post-industrial recycled scrap, and average 13% post-consumer recycled scrap. Documentation from supplier provides the following composition for alloying elements that may individually exceed the declared threshold: Magnesium [7439-95-4; LT-UNK]; Silicon [7440-21-3; LT-UNK]; Chromium [7440-47-3; LT-P1]; Copper [7440-50-8; LT-UNK]; Zinc [7440-66-6; LT-P1]; Manganese [7439-96-5; LT-P1]; Titanium [7440-32-6; LT-UNK]. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Aluminum.

#### POLYURETHANE

ID: 64440-88-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-03 19:57:42

#: 1.0000 - 1.8000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: EcoTread recycled rubber tread.

**STYRENE BUTADIENE RUBBER (SBR)**

ID: 9003-55-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2022-01-03 19:57:42%: **0.8000 - 18.6000** GS: **LT-UNK** RC: **PostC** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: EcoTread recycled rubber tread.

**ETHYLENE VINYL ACETATE POLYMER (EVA)**

ID: 24937-78-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2022-01-03 19:57:43%: **0.1000 - 0.3000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: EcoTread recycled rubber tread.

**WATER**

ID: 7732-18-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2022-01-03 19:57:43%: **0.0500 - 1.0000** GS: **BM-4** RC: **None** NANO: **No** SUBSTANCE ROLE: **Catalyst**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: EcoTread recycled rubber tread. GreenScreen Benchmark® assessment score of BM-4 was provided by the HPD Builder Tool.

**CLAY**

ID: 1302-87-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2022-01-03 19:57:44%: **0.0000 - 2.8000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: EcoTread recycled rubber tread.

**LIMESTONE, CALCIUM CARBONATE**

ID: 1317-65-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2022-01-03 19:57:44%: **0.0000 - 8.2000** GS: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: EcoTread recycled rubber tread. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

**PEROXIDE, (1,1,4,4-TETRAMETHYLTETRAMETHYLENE)BIS[TERT-PENTYL**

ID: 5168-50-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-01-03 19:57:45**

#: **0.0000 - 0.3000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Catalyst**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: EcoTread recycled rubber tread.

**ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM)**

ID: 25038-36-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-01-03 19:57:45**

#: **0.0000 - 3.4000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: EcoTread recycled rubber tread.

**HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL)**

ID: 64742-54-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-01-03 19:57:46**

#: **0.0000 - 1.8000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impact modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: EcoTread recycled rubber tread.

**BUTANEDIOIC ACID, 1,4-DIMETHYL ESTER, POLYMER WITH 4-HYDROXY-2,2,6,6-TETRAMETHYL-1-PIPERIDINEETHANOL**

ID: 65447-77-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-01-03 19:57:46**

#: **0.0000 - 0.1000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: EcoTread recycled rubber tread.		

**POLY((6-((1,1,3,3-TETRAMETHYLBUTYL)AMINO)-1,3,5-TRIAZINE-2,4-DIYL)((2,2,6,6-TETRAMETHYL-4-PIPERIDINYL)IMINO)-1,6-HEXANEDIYL((2,2,6,6-TETRAMETHYL-4-PIPERIDINYL)IMINO))** ID: 71878-19-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-01-03 19:57:47		
%: 0.0000 - 0.1000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: EcoTread recycled rubber tread.				

**TALC** ID: 14807-96-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-01-03 19:57:47		
%: 0.0000 - 0.1000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
CAN	IARC	Group 2b - Possibly carcinogenic to humans		
SUBSTANCE NOTES: EcoTread recycled rubber tread. GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. GreenScreen® Assessment for Talc (CAS# 14807-96-6) assigns the following GreenScreen® Benchmark Scores for Relevant Routes of Exposure: Inhalation (BM-1); Oral (BM-3DG); Dermal (BM-U).				

**C.I. PIGMENT BLUE 15** ID: 147-14-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-01-03 19:57:48		
%: 0.0000 - 1.0000	GS: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: EcoTread recycled rubber tread. GreenScreen Benchmark® assessment score of BM-3 was provided by the HPD Builder Tool.				

**TITANIUM DIOXIDE** ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-01-03 19:57:48		
%: 0.0000 - 1.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: EcoTread recycled rubber tread.

### CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-01-03 19:57:49**

%: **0.0000 - 1.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES: EcoTread recycled rubber tread. May also represent potential impurity in several raw materials.

### Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	CDPH Standard Method – Not tested		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019-10-	EXPIRY DATE:	CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: N/A	01		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

### Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

### Section 5: General Notes



**MANUFACTURER INFORMATION**

**MANUFACTURER:** Nystrom  
**ADDRESS:** 9300 73rd Avenue North  
 Minneapolis MN 55428, United States  
**WEBSITE:** www.nystrom.com

**CONTACT NAME:** Sandy McWilliams  
**TITLE:** Director, Business Development  
**PHONE:** (800) 547-2635  
**EMAIL:** smcwilliams@nystrom.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*