




SECTION A-A



SECTION B-B



DETAIL D
DRYWALL BEAD DETAIL
SCALE 1 : 4

VERTICAL
1-1/2 HOUR "B" LABEL

ROUGH OPENING: $W + 0.25" \times H + 0.25"$
CLEAR OPENING: $W - 2.375" \times H - 1.125"$
DEGREE OF OPENING: 120°






NOTES:

- ① **FRAME:** Cold Rolled Steel 16 ga, Drywall Bead
- ② **DOOR:** Cold Rolled Steel, 14 ga
- ③ **FINISH:** White Powder Coat
- ④ **HINGE:** Concealed Pin Hinge
- ⑤ **SECONDARY LATCH:** Varies
- ⑥ **LOCK:** Knurled Knob/Keyed Slam Latch


PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NYSTROM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NYSTROM IS PROHIBITED.

PROJECT:				
ARCHITECT:				
CONTRACTOR:				
QTY:				
PART#:		UWK_		
 9300 73rd Avenue North Brooklyn Park, MN 55428		TITLE: Access Door, Fire-rated, WxH, Uninsulated CRS, Flush Dr, Drywall Flg		
		NAME	DATE	SIZE
DRAWN		A	UWK ShpDr	-
RELEASED		WEIGHT: VARIES		SHEET 1 OF 2



LATCH BOLT COVER
EXTENDS 1/2" BEYOND
OUTSIDE EDGE OF FRAME

SECTION C-C



			TITLE: Access Door, Fire-rated, WxH, Uninsulated CRS, Flush Dr, Drywall Flg		
9300 73rd Avenue North Brooklyn Park, MN 55428			DWG. NO. UWK ShpDr		REV -
DRAWN RELEASED	NAME 	DATE 	SIZE A	WEIGHT: VARIES	SHEET 2 OF 2